



## ***Born from MotoGP***

Featuring a MotoGP-developed 6-mode TCS (Traction Control System), the latest YZF-R1 is the most advanced supersport machine ever developed by Yamaha.

Powered by a 998cc in-line 4-cylinder engine featuring an innovative crossplane crankshaft, the R1 kicks out high levels of linear torque which makes for superior traction. At the flick of a switch R1 riders can now tune the bike's performance characteristics for more exciting cornering on the highway, and reduced lap times on the circuit.

A compact aluminium Deltabox chassis delivers precision handling and class-leading cornering – and for optimised high speed performance the latest R1 is equipped with a new front cowl.

- ▶ 998cc liquid-cooled in-line 4-cylinder 4-valve
- ▶ Crossplane crankshaft delivers linear torque
- ▶ 6-mode Traction Control System (TCS)
- ▶ YCC-I (Yamaha Chip Controlled Intake)
- ▶ YCC-T (Yamaha Chip Controlled Throttle)
- ▶ 3-mode Variable Map Function
- ▶ Forced air intake
- ▶ Slipper clutch
- ▶ Short-wheelbase aluminium Deltabox chassis
- ▶ Idealised balance of chassis rigidity
- ▶ Low-drag front cowl with projector headlights
- ▶ Multi-function instrumentation



## ***Raise your game***

Street or track, the latest YZF-R1 delivers even higher levels of controllable performance. In its WSB debut season the crossplane-crank R1 won the World Championship against the very best from Europe and Japan. And our intensive WSB and MotoGP race programmes have enabled Yamaha's designers to create an even more exhilarating R1. An all-new 6-mode adjustable Traction Control System elevates rider confidence and allows you to unleash the full potential of the crossplane crankshaft engine. So wherever you go, the latest R1 is ready to excite you with its awesome cornering performance, and take the supersport riding experience to a new level.





### 6-mode Traction Control System (TCS)

By instantaneously adjusting throttle opening, fuel injection volume and ignition timing when rear wheel spin occurs, the new switchable 6-mode TCS reinforces your trust in the R1's cornering potential – and allows the rider to extract optimum levels of traction and controllability in different surface and weather conditions.

### MotoGP-inspired design

Yamaha's total commitment to racing has been the lifeblood of the company for over 50 years. Equipped with a short-wheelbase Deltabox chassis, crossplane-crankshaft engine and high-tech electronic control systems, the breathtaking R1 is the embodiment of everything that we have learnt in MotoGP and WSB.



### Crossplane crankshaft

The R1 engine stands head and shoulders above the crowd thanks to its special crossplane crankshaft, which gives an asymmetric firing interval. Developed from our YZR-M1 MotoGP racer, this class-leading design produces a more linear torque output, allowing the rider to find more traction and lay down the high levels of power more effectively.

### Compact short-wheelbase Deltabox chassis

The compact short-wheelbase Deltabox frame has been constructed using a range of gravity die-cast, CF die-cast and extruded aluminium components in order to achieve an idealised balance of rigidity. This sophisticated formula gives the R1 rider remarkable surface feedback for a clear performance advantage on the road and track.



### Aerodynamic front cowl

For improved aerodynamics the latest R1 is equipped with a new front cowl design with a slightly higher nose, while the menacing-looking 'eyes' have been restyled to give even more presence. New LED position lamps benefit from a reflective finish along the lower edge of the eyes to give the R1 a more intense and forceful appearance.

### YCC-I and YCC-T

The R1 is equipped with one of the industry's most advanced intake systems. Its YCC-I (Yamaha Chip Controlled Intake) system features electronically-controlled variable-length funnels which work in association with the Yamaha Chip Controlled Throttle (YCC-T) to deliver super-efficient combustion and a smooth and linear power output over a wide rev range.




| <i>Engine</i>       |                                                                               |
|---------------------|-------------------------------------------------------------------------------|
| Engine type         | liquid-cooled, 4-stroke, DOHC, forward-inclined parallel 4-cylinder, 4-valves |
| Displacement        | 998cc                                                                         |
| Bore x stroke       | 78.0 mm x 52.2 mm                                                             |
| Compression ratio   | 12.7 : 1                                                                      |
| Maximum power       | 133.9 kW (182.1PS) @ 12,500 rpm (without air-induction)                       |
| Maximum Torque      | 115.5 Nm (11.8 kg-m) @ 10,000 rpm                                             |
| Lubrication system  | Wet sump                                                                      |
| Clutch Type         | Wet, multiple-disc coil spring                                                |
| Carburettor         | Electronic Fuel Injection                                                     |
| Ignition system     | TCI (digital)                                                                 |
| Starter system      | Electric                                                                      |
| Transmission system | Constant Mesh, 6-speed                                                        |
| Final transmission  | Chain                                                                         |

| <i>Chassis</i>          |                                      |
|-------------------------|--------------------------------------|
| Frame                   | Aluminium Deltabox                   |
| Front suspension system | Upside-down telescopic fork, Ø 43 mm |
| Front travel            | 120 mm                               |
| Caster Angle            | 24°                                  |
| Trail                   | 102 mm                               |
| Rear suspension system  | (link suspension), Monoshock         |
| Rear Travel             | 120 mm                               |
| Front brake             | Hydraulic dual disc, Ø 310 mm        |
| Rear brake              | Hydraulic single disc, Ø 220 mm      |
| Front tyre              | 120/70 ZR17M/C (58W)                 |
| Rear tyre               | 190/55 ZR17M/C (75W)                 |

| <i>Dimensions</i>                             |            |
|-----------------------------------------------|------------|
| Overall length                                | 2,070 mm   |
| Overall width                                 | 715 mm     |
| Overall height                                | 1,130 mm   |
| Seat height                                   | 835 mm     |
| Wheel base                                    | 1,415 mm   |
| Minimum ground clearance                      | 135 mm     |
| Wet weight (including full oil and fuel tank) | 206 kg     |
| Fuel tank capacity                            | 18 litres  |
| Oil tank capacity                             | 3.7 litres |

Images shown depict professional riders performing under controlled conditions on a closed private circuit. Always wear a helmet, eye protection and protective clothing. Yamaha encourage you to ride safely and respect fellow riders and the environment. Specifications and appearance of Yamaha products shown here are subject to change without notice and may vary according to requirements and conditions. For further details, please consult your Yamaha dealer.

*Colours***Race Blu****Matt Grey****Competition White***Featured accessories***LED Flashers****Racing Rear Wheel Stand****Rim Sticker Set 17" Wheels****Soft Side Bags****Soft Side Bags Stays YZF-R1****Swingarm Spools Motorcycles**

For all YZF-R1 accessories go to the website, or check your local dealer

**The Yamaha Chain of Quality**

Yamaha technicians are fully trained and equipped to offer the best service and advice for your Yamaha product. For this reason, Yamaha strongly recommends visiting an official Yamaha dealer for all your service requirements.

Yamaha Genuine Parts & Accessories are especially developed, designed and tested for our Yamaha product range. Yamaha also recommends the use of Yamalube®, our own range of high-tech lubricants, the lifeblood of Yamaha engines. They are developed to carry on working effectively, no matter where you ride.

Besides functional and style accessories, Yamaha offers a range of high quality, innovative riding gear designed to keep you comfortable and protected. An extensive range of casual wear is also available. For more information go to:

[www.yamaha-motor-acc.com](http://www.yamaha-motor-acc.com)



Experience more of the  
Yamaha YZF-R1 with your mobile

Yamaha Motor Europe  
Koolhovenlaan 101  
1119 NC Schiphol-Rijk  
The Netherlands